

Safety Data Sheet ECO PRIM GRIP

Safety Data Sheet dated: 3/20/2017 - version 1

Date of first edition: 3/20/2017

1. Identification

Product identifier Mixture identification:

Trade name: ECO PRIM GRIP

Recommended use and restrictions on use

Recommended use: Primer Restrictions on use: N.A. Supplier's details

Company: MAPEI INC. (Canada)

2900 Francis-Hughes Avenue H7L 3J5 - Laval - QC - CAN Phone: 1-450-662-1212

mergency phone number

SA) CHEMTREC 1-800-424-9300 (Canada) CANUTEC 1-613-996-6666

2. Hazard identification

Classification of the product

No specific hazards are encountered under normal product use.

Label elements

Precautionary statements:

P202 Do not handle until all safety precautions have been read and understood.

P261.B Avoid breathing dust

P264.2 Wash skin thoroughly after handling.
P280.1 Wear protective gloves and eye protection.

P501.A Dispose of contents/container in accordance with applicable regulations.

Other hazards

None

Ingredient(s) with unknown acute toxicity

None

is product contains crystalline silica (quartz sand). IARC has classified crystalline silica as a Group 1 carcinogen. Both IARC and NTP silica as a known human carcinogen. Evidence is based on the chronic and long-term exposure workers have had to respirable sized crystalline silica dust particles. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a silica dust hazard)

This product contains titanium dioxide which IARC has classified as a Group 2B carcinogen (possibly carcinogenic to humans). Evidence is based on sufficient animal testing as a result of long-term inhalation at high concentrations of respirable amounts of titanium dioxide. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a dust hazard)

3. Composition/information on ingredients

Substances

N.A.

Mixtures

Hazardous components within the meaning of WHMIS 2015 and related classification:

List of components

 Quantity
 Name
 Ident. Numb.
 Classification

 25-50 %
 Silica Sand
 CAS:14808-60-7
 STOT RE 1, H372; Carc. 1A, H350

 0.49-1 %
 Titanium dioxide
 CAS:13463-67-7
 Carc. 2, H351

4. First-aid measures

escription of necessary first-aid measures

In case of skin contact:

Date 3/20/0117 Production France 6 CO CPRM GRIP Region 1 or

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

in case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

N.A.

Indication of immediate medical attention and special treatment needed, if necessary

5. Fire-fighting measures

Suitable and unsuitable extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the hazardous product

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: N.A.

Explosive properties: N.A. Oxidizing properties: N.A.

Special protective equipement and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

7. Handling and storage

ecautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Personal action to the control

Conditions for safe storage, including any incompatibilities

Storage temperature: N.A. Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

8. Exposure controls/personal protection

Control parameters

Date

List of components with OEL value

3/2012/01/2

Component OEL Type Country Celling Long Term Long Term Short Term Short Term Behaviour Note mg/m3 ppm mg/m3 ppm

ica Sand ACGIH 0,025 A2 - Suspected Human Carcinogen;lung

Titanium dioxide

OSHA

15

ACGIH

10

A4 - Not Classifiable as a Human Carcinogen; lower respiratory tract irritation;

Appropriate engineering controls

N.A.

Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

N.A.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: light grey

Odour: like: Acrylate Odour threshold: N.A.

pH: 8.50

Melting point / freezing point: N.A.
Initial boiling point and boiling range: N.A.

Flash point: >100 °C (212 °F) Notes: Method - Seta

Evaporation rate: N.A.

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A. Vapour pressure: N.A. Relative density: 1.50 g/cm3 Solubility in water: Insoluble

Solubility in oil: N.A.

Partition coefficient (n-octanol/water): N.A.

Auto-ignition temperature: N.A. Decomposition temperature: N.A.

Viscosity: N.A.

Explosive properties: N.A.
Oxidizing properties: N.A.
Solid/gas flammability: N.A.

Other information

Substance groups relevant properties: N.A.

Miscibility: N.A. Fat Solubility: N.A. Conductivity: N.A.

10. Stability and reactivity

Reactivity

Stable under normal conditions

Chemical stability

Data not Available.

Possibility of hazardous reactions

None.

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

1. Toxicological information

information on toxicological effects

Date 3287817

Toxicological information of the mbdure:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Adcological information on main components of the mixture:

Silica Sand

a) acute toxicity

LD50 Oral Rat = 500 mg/kg

Titanium dioxide

a) acute toxicity

LD50 Oral Rat > 10000 mg/kg

If not differently specified, the information required in the regulation and listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure
- i) STOT-repeated exposure
- j) aspiration hazard

betance(e) listed on the IARC Monographs:

Silica Sand

Group 1

Titanium dioxide

Group 2B

Substance(s) listed as OSHA Carcinogen(s):

Silica Sand

Titanium dioxide

Substance(s) listed as NIOSH Carcinogen(s):

Silica Sand

Titanium dioxide

Substance(s) listed on the NTP report on Carcinogens:

Silica Sand

12. Ecological information

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

List of components with eco-toxicological properties

lantity Component

Ident, Numb.

Ecotox Infos

25-50 %

Silica Sand

CAS: 14808-60-7

a) Aquatic acute toxicity: LC50 carp > 10000.00000 mg/L 72h

Persistence and degradability

N.A

Bioaccumulative potential

N.A.

Mobility in soil

N.A.

Other adverse effects

N.A.

13. Disposal considerations

Safe handling and methods for disposal

Recover if possible. In so doing, comply with the local and national regulations currently in force.

14. Transport information

UN number

TDG-UN number: N/A ADR-UN number: N/A

Date 3.262017

Production topics

TOO FRIM GRID

Page 1 of

DOT-UN Number: N/A
IATA-Un number: N/A
IMDG-Un number: N/A
UN proper shipping name

TDG-Shipping Name: N/A
ADR-Shipping Name: N/A
DOT-Proper Shipping Name: N/A
IATA-Technical name: N/A
IMDG-Technical name: N/A

Transport hazard class(es)

TDG-Class: N/A
ADR-Class: N/A
DOT-Hazard Class: N/A
IATA-Class: N/A
IMDG-Class: N/A

Packing group

TDG-Packing Group: N/A
ADR-Packing Group: N/A
DOT Packing Group: N/A
IATA-Packing group: N/A
IMDG-Packing group: N/A

-Environmental hazards

Marine pollutant: No

Environmental Pollutant: N.A.

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

N.A.

Special precautions in connection with transport or conveyance

TDG:

TDG Special provisions: N/A
Department of Transportation (DOT):
DOT-Special Provision(s): N/A

DOT-Label(s): N/A
DOT-Symbol: N/A
DOT-Cargo Aircraft: N/A
DOT-Passenger Aircraft: N/A

DOT-Bulk: N/A DOT-Non-Bulk: N/A Road and Rail (ADR-RID):

ADR-Label: N/A

ADR-Hazard identification number: N/A

ADR-Transport category (Tunnel restriction code): N/A

r (IATA):

IATA-Passenger Aircraft: N/A IATA-Cargo Aircraft: N/A

IATA-Label: N/A IATA-Subrisk: N/A IATA-Erg: N/A

IATA-Special Provisions: N/A

Sea (IMDG):

IMDG-Stowage Code: N/A
IMDG-Stowage Note: N/A
IMDG-Subrisk: N/A

IMDG-Special Provisions: N/A

IMDG-Page: N/A IMDG-Label: N/A IMDG-EMS: N/A IMDG-MFAG: N/A

15. Regulatory information

Canada - Federal regulations

SL - Domestic Substances List DSL Inventory:

Date 120.2017 Production types IF COPPM GRIP Page 1.5 of Page 2.5 of Page 2.5

All the substances are listed in the DSL.

NDSL - Non Domestic Substances List

NDSL inventory:

no substances listed

NPRI - National Pollutant Release Inventory

Substances listed in NPRI:

no substances listed

USA - Federal regulations

TSCA - Toxic Substances Control Act

TSCA inventory:

All the components are listed on the TSCA inventory

TSCA listed substances:

Silica Sand

is listed in TSCA

Section 8b

Titanium dioxide

is listed in TSCA

Section 8b

SARA - Superfund Amendments and Reauthorization Act

Section 302 - Extremely Hazardous Substances:

no substances listed

Section 304 - Hazardous substances:

no substances listed

Section 313 - Toxic chemical list:

no substances listed

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

Substance(s) listed under CERCLA:

no substances listed

CAA - Clean Air Act

CAA listed substances:

no substances listed

CWA - Clean Water Act

CWA listed substances:

no substances listed

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

Silica Sand

Listed as carcinogen

Titanium dioxide

Listed as carcinogen

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

Silica Sand

Titanium dioxide

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

Silica Sand

Titanium dioxide

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

Silica Sand

Titanium dioxide

16. Other information

Code Description

H350 May cause cancer.

H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure .

ifety Data Sheet dated: 3/20/2017 - version 1

Date 30(62037

Freduction Egano.

FUO PRIM GRID

Product code: 2939

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any ther warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability or any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany. LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
WGK: German Water Hazard Class.

KSt: Explosion coefficient.

Date 3:200017 Production frame GOO OMM GMP Page 6 1 of F