

# SAFETY DATA SHEET

## TTC QLD URBAN DOMESTIC

DATED: 25/10/23



Classified as hazardous according to criteria of Worksafe Australia

## Section 1: Identification of the substance/mixture and of the company

### 1:1 Product Identifier

Product Name: TTC QLD Urban Domestic Tile Adhesive

Other Names: None  
Product Code: TTCQDOM

### 1:2 Relevant identified uses of the product

Application: A Premium Powder Mastic for wall & floor tiling applications.

### 1.3 Supplier details

Supplier: TTC QLD Pty Ltd  
(ABN: 30 306 671 905)  
Address: Unit 3, 13-15 Fishermans Rd Kuluin  
QLD 4558  
Phone: (07) 5443 9191  
Emergency Phone: (07) 5443 9191

The information contained in this safety data sheet is accurate on the date of issue and in accordance with the information available at that time. Persons dealing with products referred to in this safety data sheet do so at their own risk. TTC QLD Pty Ltd accepts no liability whatsoever for damage or injury, however caused, arising from use of this information or of suggestions contained herein.

## Section 2: Hazard Identification

### 2:1 Classification of product

Serious Eye Damage \ Eye Irritation - Category 1; H318  
Skin Sensitization – Category 1; H317  
Skin Irritation - Category 2; H315  
Specific Target Organ – Category 3; H335

Dust may irritate throat and respiratory system and cause coughing.  
Frequent inhalation of dust over a long period of time increase the risk of developing lung diseases. Dust or splashes from the mixture may cause permanent eye damage.

Dust has an irritating effect on moist skin. Prolonged contact with wet cement/mixture may cause burns.



Signal Word: **DANGER**

# SAFETY DATA SHEET

## TTC QLD URBAN DOMESTIC

DATED: 25/10/23



### Hazard Statements:

H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H373	May cause damage to organs through prolonged or repeated exposure
H350	May cause cancer by inhalation

### Precautionary Statements:

P260	Do not breathe dust
P280	Wear protective gloves, eye and face protection
P264	Wash skin thoroughly after handling
P271	Use in well-ventilated area
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.
P302+P350	IF ON SKIN: Gently wash with plenty of soap and water.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P332+P313	IF SKIN irritation occurs: Get medical advice/attention.
P312	Call a POISON CENTER or doctor if you feel unwell
P501	Dispose of contents/container in accordance with local regulations

### 2.3 Other hazards

Other hazards: N/A

## Section 3: Composition/Information on Ingredients

### 3:1 Mixtures

This product contains cement

Chemical Name	CAS-No.	%	Hazard Classification
Portland Cement	65997-15-1	36%	STOT SE HC-3 H335 Skin Irritation HC-2 H315 Eye Irritation HC-2 H319 STOT RE HC-2 H373
TRUGEL 100 – Quartz/Critobalite	14808-60-7 & 14464-46-1	2-3%	Carcinogenicity Category 1A STOT Repeated Exposure Category 2

# SAFETY DATA SHEET

## TTC QLD URBAN DOMESTIC

DATED: 25/10/23



Non Hazardous Ingredients	N/A	61%	N/A
---------------------------	-----	-----	-----

## Section 4: First Aid Measures

### 4:1 Description of first aid measures

Inhalation:	Move subject to fresh air. Monitor and consult a physician if concerned
Skin Contact:	Wash affected areas thoroughly with soap & water. Consult a physician if irritation persists
Eye Contact:	Flush eyes with large amount of water for at least 15 minutes, holding eyelids apart. Consult a physician if irritation persists
Ingestion:	Flush mouth with copious amounts of water. Consult a physician .

### 4:2 Symptoms caused by exposure

Inhalation:	Dust may irritate airway and cause coughing
Skin Contact:	Dust may irritate moist skin Prolonged exposure could result in allergic reaction such as a rash or burning sensation
Eye Contact:	Contact with eye can cause permanent eye damage – immediately seek first aid
Ingestion:	Can cause irritation to the throat and stomach

### 4:3 Medical Attention and Special Treatment

N/A

## Section 5: Fire Fighting Measures

### 5:1 Suitable extinguishing media

This is a non-flammable material. Use suitable extinguishing media for the surrounding area.

### 5:2 Specific hazards

None Applicable

### 5:3 Special protective equipment and precautions for fire fighters

Chemical resistant clothing should be used along with respiratory protection.

## Section 6: Accidental Release Measures

### 6:1 Personal precautions, protective equipment and emergency procedures

# SAFETY DATA SHEET

## TTC QLD URBAN DOMESTIC

DATED: 25/10/23



Wear appropriate clothing, gloves, eye protection and facemask to avoid inhalation and contact with skin or eyes.

Emergency Procedures: N/A

### 6:2 Environmental precautions

Do not allow this product to be released into storm water drains, creeks or open bodies of water. Dispose in accordance with local regulations.

### 6:3 Methods and materials for contaminant and cleaning up

In dry form: Vacuum where possible. Sweep with a brush or broom.

In wet form: Cover any drains and wipe product with a cloth. Dispose in accordance with local regulations.

## Section 7: Handling and Storage

### 7:1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid dust.

### 7:2 Conditions for safe storage, including any incompatibilities

Store in a cool dry location in a closed container to avoid dust.

Incompatibilities: N/A

## Section 8: Exposure Controls and Personal Protection

### 8:1 Control parameters

The exposure limits for ingredients are listed below

Chemical Name	CAS No.	Exposure Limit	Type	References
Portland Cement – respirable dust	65997-15-1	3 mg/m <sup>3</sup>	TWA	USECHH 2000
Portland Cement – inhalable dust	65997-15-1	10 mg/m <sup>3</sup>	TWA	USECHH 2000
TRUGEI 100 no exposure value assigned				
Crystalline Silica (Respirable Dust)	14808-60-7	0.1mg/m <sup>3</sup>	TWA	Safe Work Australia

### 8:2 Exposure controls

Provide adequate ventilation. Observe occupational exposure limits and minimise risk of inhalation & contact with skin & eyes

### 8:3 Personal protective equipment (PPE)

Wear protective gloves

Wear goggles/face shield

Wear protective clothing including boots

Face protection should be used in connection with splashing work

Use respiratory equipment with particle filter during dust raising work

The use of barrier cream is recommended

Remove all contaminated PPE carefully to avoid contact with skin or eyes. Wash contaminated clothing thoroughly before reuse. Wash skin with soap and water after work

Environmental exposure controls: Not available

# SAFETY DATA SHEET

## TTC QLD URBAN DOMESTIC

DATED: 25/10/23



## Section 9: Physical and Chemical Properties

### 9:1 Physical and chemical properties

Appearance:	Off White Powder
Odour:	Cement
Odour threshold:	N/A
pH:	Alkaline (approx. 12 when mixed with water)
Flash point:	Non-combustible
Flammability limits:	Not Available
Solubility in water:	Miscible in water
Stability:	Stable
Vapour pressure:	Not Available
Specific gravity:	3
Volatile component:	N/A
Auto ignition temp	N/A

## Section 10: Stability & Reactivity

### 10:1 Reactivity

None known

### 10:2 Chemical stability

Product is stable under normal temperature conditions

### 10:3 Conditions to avoid

See incompatible materials

### 10:4 Incompatible materials and possible hazardous reactions

Incompatible materials: None Known

Hazardous reactions: N/A

### 10:5 Hazardous decomposition products

N/A

## Section 11: Toxicological Information

### 11:1 Information and symptoms related to exposure

Acute Toxicity:	No data available
Skin corrosion/irritation:	Repeated or prolonged exposure to skin can cause dermatitis
Serious eye damage/irritation:	Exposure can cause serious conjunctivitis, blepharitis and general irritation to the eyes.

# SAFETY DATA SHEET

## TTC QLD URBAN DOMESTIC

DATED: 25/10/23



	Dust or splashes from the mixture may cause permanent eye damage. Immediate first aid is necessary.
Respiratory & Ingestion	Dust can irritate airways. Prolonged exposure may cause coughing or wheezing. Ingestion of product may irritate the gastric tract and cause nausea & vomiting
Germ Cell Mutagenicity:	No data available
Carcinogenicity:	No data available
Reproductive Toxicity:	No data available

<b>Specific Target Organ Toxicity (STOT)</b>	
Single Exposure:	Can cause coughing and irritation to airway
Repeated Exposure:	Repeated exposure over a long period of time may cause coughing and phlegm, shortness of breath and wheezing. Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases.
Aspiration Hazard:	No data available

### 11.2 Numerical measures of toxicity

No data available

### 11.3 Immediate, delayed or chronic health effects from exposure

Immediate:	Irritation of the skin, eyes & respiratory tract
Delayed:	Allergic skin reaction, irritation, coughing wheezing & possible injury to eyes
Chronic:	Increased chance of bronchitis, conjunctivitis, ulcers of the nose & dermatitis

### 11.4 Exposure levels

Exposure levels:

See section 8:1

### 11.5 Interactive effects

Inhalation:	Respiratory conditions such as asthma can increase risk of coughing and wheezing.
Skin contact:	Sensitivity of the skin can lead to greater risk of allergic skin reactions

### 11.6 Data limitations

Data limitations:

N/A

## Section 12: Ecological Information

### 12:1 Ecotoxicity

This product is not expected to be hazardous to the environment

### 12:2 Degradability

When mixed with water this product will form to a hard mass that is non-degradable

### 12:3 Bio-accumulative potential

No data available

# SAFETY DATA SHEET

## TTC QLD URBAN DOMESTIC

DATED: 25/10/23



### 12:4 Mobility in soil

No data available

### 12:5 Other adverse effects

None known

---

## Section 13: Disposal Considerations

### Section 13:1 Safe disposal of product and packaging

Dispose of all waste in accordance with local regulations

Waste is considered hazardous. However, product hardened with water is considered non hazardous. Packaging is recyclable when all traces of material have been cleaned from bag. Do not allow product to enter sewerage system of storm water drain, this will block pipes

---

## Section 14: Transport Information

14:1 UN number:	None allocated
14:2 Proper shipping name:	None allocated
14:3 Transport hazard class:	None allocated
14:4 Packaging group:	None allocated
14:5 Environmental hazards:	N/A
14:6 Special transport precautions:	N/A
14:7 Hazchem code:	N/A

---

## Section 15: Regulatory Information

### 15:1 Safety, health and environmental regulations specific to the product

N/A

### 15:2 Poisons schedule number

N/A

---

## Section 16: Regulatory Information

This SDS has been prepared 25<sup>th</sup> October 2023. This SDS will be reviewed every 5 years. The latest version of this SDS will be available for download from <https://www.tilerstradecentre.com.au/> This SDS may change from time to time as new information becomes available or in the case of a change in formulation. This SDS is has been prepared as a new document to bring into line with Globally Harmonized System requirements.

### 16:2 Abbreviations and acronyms used in this SDS

GHS = Globally Harmonized System

HC - = Hazard Category

CAS = Chemical Abstract Service

# SAFETY DATA SHEET

## TTC QLD URBAN DOMESTIC

DATED: 25/10/23



N/A = Not Applicable

TWA = Time Weighted Average

USECHH = Use and Standard of Exposure Chemical Hazardous to Health.

STOT = Specific Target Organ Toxicity

STOT SE = Specific Target Organ Toxicity – Single Exposure

STOT RE = Specific Target Organ Toxicity – Repeated Exposure

mg/m<sup>3</sup> = milligram per cubic metre

This SDS has been prepared using information provided by the manufacturers of the ingredients contained in this product. This product is a mixture of ingredients.

**.... END OF SDS ....**

**This SDS has been developed in accordance to Worksafe Australia/NOHSC guidelines**